

Application No. 08/940,815  
Amendment dated January 10, 2007  
Reply to Office Action of July 10, 2006

Docket No.: 29617/PM421A

RECEIVED  
CENTRAL FAX CENTER  
JAN 10 2007

AMENDMENTS TO THE CLAIMS

1. (original) A correction tape dispenser comprising:

a tape comprising a carrier ribbon with correction composition thereon;

supply and take-up spools for the tape; and,

a tip having an edge for pressing the tape against a surface, a portion of the tape between the supply and take-up spools being guided to extend around said edge, wherein the edge is inclined to a feed direction which is the direction of travel of the tape leaving the supply spool;

wherein the tip includes guide means on either side of the edge which operate in conjunction with the shape of the tip for twisting the tape so that the path of the tape around the edge between the guide means is in a plane substantially perpendicular to said edge and inclined to the feed direction.

Application No. 08/940,815  
Amendment dated January 10, 2007  
Reply to Office Action of July 10, 2006

Docket No.: 29617/PM421A

2. (currently amended) A correction tape dispenser comprising:

a tape comprising a carrier ribbon with correction composition thereon;

supply and take-up spools for the tape; and,

a tip having an edge for pressing the tape against a surface, a portion of the tape between the supply and take-up spools being guided to extend around said edge, wherein the edge is inclined to a feed direction which is the direction of travel of the tape leaving the supply spool;

wherein the tip includes guide means on either side of the edge which operate in conjunction with the shape of the tip for twisting the tape so that the path of the tape around the edge between the guide means is in a plane substantially perpendicular to said edge and inclined to the feed direction;

~~A correction tape dispenser according to claim 1,~~ wherein the guide means on at least one side of the edge comprises a linear edge around which the tape passes from one side to the other side thereof.

3. (original) A correction tape dispenser according to claim 2, wherein the linear edges are provided on both sides and are defined by parallel ridges.

Application No. 08/940,815  
Amendment dated January 10, 2007  
Reply to Office Action of July 10, 2006

Docket No.: 29617/PM421A

4. (previously presented) A correction tape dispenser comprising:  
a tape comprising a carrier ribbon with correction composition thereon;  
supply and take-up spools for the tape; and,  
a tip having an edge for pressing the tape against a surface, a portion of the tape between the supply and take-up spools being guided to extend around said edge, wherein the edge is inclined to a feed direction which is the direction of travel of the tape leaving the supply spool;

wherein the tip includes guide means on either side of the edge which operate in conjunction with the shape of the tip for twisting the tape so that the path of the tape around the edge between the guide means is in a plane substantially perpendicular to said edge and inclined to the feed direction;

wherein the guide means on at least one side of the edge comprises a linear edge around which the tape passes from one side to the other side thereof;

wherein the linear edges are provided on both sides and are defined by parallel ridges;  
and

wherein the tape extends to the inner faces of the respective ridges from the supply and take-up spools, respectively.

5. (original) A correction tape dispenser according to claim 1, wherein tape positioning means are provided to determine a first fixed position from which the tape passes to the tip in the feed direction, and a second fixed position to which the tape passes after leaving the tip.

Application No. 08/940,815  
Amendment dated January 10, 2007  
Reply to Office Action of July 10, 2006

Docket No.: 29617/PM421A

6. (previously presented) A correction tape dispenser according to claim 5 wherein the tip is provided by a unitary member and said tape positioning means are attached to said unitary member.

7. (original) A correction tape dispenser according to claim 1, wherein the guide means on at least one side of the tip comprises a guide element around which the tape passes to define a bend in the tape path.

8. (currently amended) ~~A correction tape dispenser comprising:~~  
~~a tape comprising a carrier ribbon with correction composition thereon;~~  
~~supply and take-up spools for the tape; and,~~  
~~a tip having an edge for pressing the tape against a surface, a portion of the tape between the supply and take-up spools being guided to extend around said edge, wherein the edge is inclined to a feed direction which is the direction of travel of the tape leaving the supply spool;~~

~~wherein the tip includes guide means on either side of the edge which operate in conjunction with the shape of the tip for twisting the tape so that the path of the tape around the edge between the guide means is in a plane substantially perpendicular to said edge and inclined to the feed direction;~~

~~wherein the guide means on at least one side of the tip comprises a guide element around which the tape passes to define a bend in the tape path; and~~

A correction tape dispenser according to claim 7, wherein the guide element defines an arcuate surface contacted by the tape and the arcuate surface has an axis substantially

Application No. 08/940,815  
Amendment dated January 10, 2007  
Reply to Office Action of July 10, 2006

Docket No.: 29617/PM421A

perpendicular to a plane that contains ~~containing~~ the tip edge and that is parallel to the feed direction.

9. (original) A correction tape dispenser according to claim 1, wherein the guide means on at least one side of the tip comprises a guide element, the guide element twists the tape substantially through 90° between the feed direction and the tip edge.

10. (original) A correction tape dispenser according to claim 9, wherein guide elements are provided on both sides of the tip.

11. (currently amended) A correction tape dispenser according to claim 1, wherein the supply and take-up spools have rotational axes substantially perpendicular to a plane that contains ~~containing~~ the tip edge and that is parallel to the tape feed direction.

12. (currently amended) A correction tape dispenser according to claim 1, wherein the tip edge direction and the feed direction are at an angle in the range of about 45° to 75° to each other.

13. (original) A correction tape dispenser according to claim 1, wherein retaining means are provided adjacent at least one side of the tip edge for maintaining the tape in correct cooperation with said edge.

14. (original) A correction tape dispenser according to claim 13, wherein the retaining means comprises a pair of projections between which the tape passes.

Application No. 08/940,815  
Amendment dated January 10, 2007  
Reply to Office Action of July 10, 2006

Docket No.: 29617/PM421A

15. (previously presented) A correction tape dispenser comprising:  
a tape comprising a carrier ribbon with correction composition thereon;  
supply and take-up spools for the tape; and,  
a tip having an edge for pressing the tape against a surface, a portion of the tape  
between the supply and take-up spools being guided to extend around said edge, wherein the  
edge is inclined to a feed direction which is the direction of travel of the tape leaving the  
supply spool;

wherein the tip includes guide means on either side of the edge which operate in  
conjunction with the shape of the tip for twisting the tape so that the path of the tape around  
the edge between the guide means is in a plane substantially perpendicular to said edge and  
inclined to the feed direction;

wherein retaining means are provided adjacent at least one side of the tip edge for  
maintaining the tape in correct cooperation with said edge;

wherein the retaining means comprises a pair of projections between which the tape  
passes; and

wherein an element extends between the projections to prevent the tape becoming  
disengaged therefrom.

Application No. 08/940,815  
Amendment dated January 10, 2007  
Reply to Office Action of July 10, 2006

Docket No.: 29617/PM421A

16. (previously presented) A correction tape dispenser comprising:  
a tape comprising a carrier ribbon with correction composition thereon;  
supply and take-up spools for the tape; and,  
a tip having an edge for pressing the tape against a surface, a portion of the tape between the supply and take-up spools being guided to extend around said edge, wherein the edge is inclined to a feed direction which is the direction of travel of the tape leaving the supply spool;

wherein the tip includes guide means on either side of the edge which operate in conjunction with the shape of the tip for twisting the tape so that the path of the tape around the edge between the guide means is in a plane substantially perpendicular to said edge and inclined to the feed direction;

wherein retaining means are provided adjacent at least one side of the tip edge for maintaining the tape in correct cooperation with said edge; and

wherein the tape retaining means is arranged to define with the tip an eye through which the tape passes.

17. (original) A correction tape dispenser according to claim 16, wherein the retaining means comprises a pair of oppositely directed L-shaped projections, a slot being formed between the projections to allow the tape to be inserted through the eye.

18. (original) A correction tape dispenser according to claim 16, wherein the retaining means comprises a part surrounding the tip to form an eye on either side thereof.

Application No. 08/940,815  
Amendment dated January 10, 2007  
Reply to Office Action of July 10, 2006

Docket No.: 29617/PM421A

19. (original) A correction tape dispenser according to claim 18, wherein said retaining part is a collar engaged with a push fit over the tip edge.

20. (original) A correction tape dispenser according to claim 1, wherein the tip edge is provided with extension portions to reduce the chances of the tape becoming displaced over an end extremity of the tip edge.

21. (original) A correction tape dispenser according to claim 1, further including a case enclosing the supply and take-up spools, the case being elongated substantially in the feed direction.

22-25. (canceled).

Application No. 08/940,815  
Amendment dated January 10, 2007  
Reply to Office Action of July 10, 2006

Docket No.: 29617/PM421A

26. (new) A correction tape dispenser comprising:

a tape comprising a carrier ribbon with correction composition thereon;

supply and take-up spools for the tape; and,

a tip having an edge for pressing the tape against a surface, a portion of the tape between the supply and take-up spools being guided to extend around said edge, wherein the edge is inclined to a feed direction which is the direction of travel of the tape leaving the supply spool;

wherein the tip includes guide means on either side of the edge which operate in conjunction with the shape of the tip for twisting the tape so that the path of the tape from the guide means toward the edge is in a direction substantially perpendicular to the edge and around the edge between the guide means is in a plane substantially perpendicular to said edge and inclined to the feed direction.